Test Type: 90-DAY

Route: DOSED WATER Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

C Number: C20009

Lock Date: 07/30/2004

Cage Range: ΑII

Date Range: ΑII

Reasons For Removal: ΑII

Removal Date Range: ΑII

Treatment Groups: ΑII

Study Gender: Both

PWG Approval Date NONE

Test Type: 90-DAY

Route: DOSED WATER Species/Strain: Rat/F 344/N P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline

CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Male RAT FIRST TERMINAL SACRIFICE AT 93 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

	IND	IVIDUAL SURVIVAL TIMES (DAY	5)	
DOSE = 0 MG/L	LINGENGODED DEATING	CENCODED DEATHS A	TERMINAL 40	
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 78 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 156 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 312 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 90-DAY
Route: DOSED WATER

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Male RAT FIRST TERMINAL SACRIFICE AT 93 DAYS INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 625 MG/L

TOTAL 10 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 1250 MG/L

TOTAL 10 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Male RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE		TIME (DAYS)								
	10	20	30	40	50	60	70	80	90	93(A)
0 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
78 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
156 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
312 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
625 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1250 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY Route: DOSED WATER

Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Male RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

DOSE	0 MG/L	78 MG/L	156 MG/L	312 MG/L	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	93.0	93.0	93.0	93.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Male RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

DOSE	625 MG/L	1250 MG/L	
SURVIVAL AT END OF STUDY	100.0%	100.0%	
(KAPLAN-MEIER)			
SIGNIFICANCE (B)			
(LIFE TABLE)			
MEAN DAY OF NATURAL DEATHS (C)			
(STANDARD ERROR)	(.)	(.)	
MEAN LIFE SPAN (D)	93.0	93.0	
(STANDARD ERROR)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

	שאו	IVIDUAL SURVIVAL TIMES (DATS	<u> </u>	
DOSE = 0 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 78 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 156 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				
DOSE = 312 MG/L				
TOTAL 10	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 10	
UNCENSORED DEATH DAYS				
none				
CENSORED DEATH DAYS				
none				

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Species/Strain: Rat/F 344/N

Test Type: 90-DAY
Route: DOSED WATER

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Female RAT
FIRST TERMINAL SACRIFICE AT 93 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 625 MG/L

TOTAL 10 UNCENSORED DEATHS 0 CENSORED DEATHS 0

TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

DOSE = 1250 MG/L

TOTAL 10 UNCENSORED DEATHS 0 CENSORED DEATHS 0 TERMINAL 10

UNCENSORED DEATH DAYS

none

CENSORED DEATH DAYS

none

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Female RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE		TIME (DAYS)								
	10	20	30	40	50	60	70	80	90	93(A)
0 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
78 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
156 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
312 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
625 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
1250 MG/L	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY

Route: DOSED WATER Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Female RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

DOSE	0 MG/L	78 MG/L	156 MG/L	312 MG/L	
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%	
(KAPLAN-MEIER)					
SIGNIFICANCE (B)					
(LIFE TABLE)					
MEAN DAY OF NATURAL DEATHS (C)					
(STANDARD ERROR)	(.)	(.)	(.)	(.)	
MEAN LIFE SPAN (D)	93.0	93.0	93.0	93.0	
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline CAS Number: 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

Female RAT FIRST TERMINAL SACRIFICE AT 93 DAYS

DOSE	625 MG/L	1250 MG/L	
SURVIVAL AT END OF STUDY	100.0%	100.0%	
(KAPLAN-MEIER)			
SIGNIFICANCE (B)			
(LIFE TABLE)			
MEAN DAY OF NATURAL DEATHS (C)			
(STANDARD ERROR)	(.)	(.)	
MEAN LIFE SPAN (D)	93.0	93.0	
(STANDARD ERROR)	(0.0)	(0.0)	

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Test Type: 90-DAY
Route: DOSED WATER
Species/Strain: Rat/F 344/N

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Test Compound: beta-Picoline **CAS Number:** 108-99-6

Date Report Requested: 10/19/2014 Time Report Requested: 15:39:24

First Dose M/F: NA / NA

Lab: BAT

** END OF REPORT **

⁽A) FIRST TERMINAL SACRIFICE

⁽B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

⁽C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

⁽D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)